


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Thai D. NGUYEN *et al.*

Serial No. 09/227,881


Filed: January 11, 1999



Art Unit: 1635

Examiner: M. Shibuya

Atty. Docket: 07425.0057.US00



For: NUCLEIC ACIDS, KITS AND METHODS
FOR THE DIAGNOSIS, PROGNOSIS AND
TREATMENT OF GLAUCOMA AND
RELATED DISORDERS

Statement Regarding Sequence Submission

BOX SEQUENCE

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In accordance with 37 C.F.R. §§ 1.821(f) and (g), and 1.825(b), the paper copy of the substitute Sequence Listing and the computer readable copy of the substitute Sequence Listing submitted herewith in the above-mentioned application are the same, and contain no new matter.

Respectfully submitted,

Date: Feb 22, 2000
Howrey Simon Arnold & White, LLP
1299 Pennsylvania Avenue, N.W.
Washington, D.C. 20004
Tel: (202) 383-7093
Fax: (202) 383-6610

Joel M. Freed (Reg. No. 25,101)
June E. Cohan (Reg. No. 43,741)
Attorneys for Applicants

NOTICE TO COMPLY WITH REQUIREMENTS FOR PATENT APPLICATIONS CONTAINING NUCLEOTIDE SEQUENCE AND/OR AMINO ACID SEQUENCE DISCLOSURES

The nucleotide and/or amino acid sequence disclosure contained in this application does not comply with the requirements for such a disclosure as set forth in 37 C.F.R. 1.821 - 1.825 for the following reason(s):

- ☐ 1. This application clearly fails to comply with the requirements of 37 C.F.R. 1.821-1.825. Applicant's attention is directed to these regulations, published at 1114 OG 29, May 15, 1990 and at 55 FR 18230, May 1, 1990.
- ☐ 2. This application does not contain, as a separate part of the disclosure on paper copy, a "Sequence Listing" as required by 37 C.F.R. 1.821(c).
- ☒ 3. A copy of the "Sequence Listing" in computer readable form has not been submitted as required by 37 C.F.R. 1.821(e).
- ☐ 4. A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 C.F.R. 1.822 and/or 1.823, as indicated on the attached copy of the marked -up "Raw Sequence Listing."
- ☐ 5. The computer readable form that has been filed with this application has been found to be damaged and/or unreadable as indicated on the attached CRF Diskette Problem Report. A Substitute computer readable form must be submitted as required by 37 C.F.R. 1.825(d).
- ☐ 6. The paper copy of the "Sequence Listing" is not the same as the computer readable form of the "Sequence Listing" as required by 37 C.F.R. 1.821(e).
- ☐ 7. Other: _____

Applicant Must Provide:

- ☒ An initial or substitute computer readable form (CRF) copy of the "Sequence Listing".
- ☐ An initial or substitute paper copy of the "Sequence Listing", as well as an amendment directing its entry into the specification.
- ☒ A statement that the content of the paper and computer readable copies are the same and, where applicable, include no new matter, as required by 37 C.F.R. 1.821(e) or 1.821(f) or 1.821(g) or 1.825(b) or 1.825(d).

For questions regarding compliance to these requirements, please contact:

For Rules Interpretation, call (703) 308-4216

For CRF Submission Help, call (703) 308-4212

PatentIn Software Program Support (SIRA)

Technical Assistance.....703-308-6900

To Purchase PatentIn Software.....703-306-2600

PLEASE RETURN A COPY OF THIS NOTICE WITH YOUR RESPONSE